




do My BesT, to be the best!

MIBET ENERGY

MA Op Rail

Assembly




Component



MA OP Rail
Part No.: MBT-3401-002

Technical Specification


Application	For Mibet MA series roof top mounting system	
Dimensions	L3600*W27*H52mm	
Weight	2.3KG	
Packaging	555pcs/Pallet	
Material	AL6005-T5	
Standard	GB50797/AS NZS1170.2-2011/EN1991/ASCE7-10/ JIS C 8955	



Assembly




Component



MA op Rail Cap
Part No.:MBT-3501-001

Technical Specification

Application	To cover ends of rail	
Dimensions	L13*W34*H58.1mm	
Weight	0.019KG	
Packaging	1000pcs/Carton Carton size: 395*260*330mm	
Material	Rubber	
Standard	GB50797/AS NZS1170.2-2011/EN1991/ASCE7-10/ JIS C 8955	






do My BesT, to be the best!


MIBET ENERGY

Splice Kit for MA Op Rail

Assembly




Component



Splice Kit for MA Op Rail
Part No.: MBT-3121-002

Technical Specification

Application	To connect two adjacent MA OP rails	
Dimensions	L100mm	
Weight	0.107KG	
Packaging	240pcs/Carton Carton size: 395*260*330	
Material	Splice bars: AL6005-T5 Bolt/Washer: SUS316	
Standard	GB50797/AS NZS1170.2-2011/EN1991/ASCE7-10/ JIS C 8955	






do My BesT, to be the best!

MIBET ENERGY

Inter Clamp H35 Kit /black

Assembly




Component




Inter Clamp H35 Kit /black
Part No.: MBT-3113-005

Technical Specification

Application	To fix solar panel frame T30-35mm	
Dimensions	Refer to right picture	
Weight	0.064KG	
Packaging	480pcs/Carton Carton size:395*260*330mm	
Material	Inter clamp/Nut:AL6005-T5 Bolt/washer: SUS316	
Standard	GB50797/AS NZS1170.2-2011/EN1991/ASCE7-10/ JIS C 8955	



Assembly




Component



End Clamp 30/35 Kit /black
Part No.: MBT-3113-006

Technical Specification


Application	To fix solar panels frame T30mm /35mm	
Dimensions	Please refer to right picture	
Weight	0.051KG	
Packaging	400pcs/Carton Carton size: 395*260*330mm	
Material	End clamp /Nut: AL6005-T5 Bolts/washer: SUS316	
Standard	GB50797/AS NZS1170.2-2011/EN1991/ASCE7-10/ JIS C 8955	



Assembly




Component



MA Mini rail H45 Kit
Part No.:MBT-3172-004

Technical Specification

Application	Metal roof	
Screw Specification	4 x Hex flange head ST6.3*25mm	
Dimensions	L300*W40*H45mm	
Weight	0.266KG	
Packaging	92pcs/Carton Carton size:392 * 254 * 172 mm	
Material	MA Mini rail H45: AL6005-T5 Screws: SUS316 Waterproof pad: EPDM	
Standard	GB50797/AS NZS1170.2-2011/EN1991/ASCE7-10/ JIS C 8955	



Assembly




Component



Adjustable Hook #8
Part No.: MBT-3162-008

Technical Specification

Application	Apply to Roman tile roof with timber purlin	
Screw Specification	2 x Hex flange head wood screw 6*80mm	
Dimensions	L204 *W140*H183.4mm	
Weight	0.81KG	
Packaging	25pcs/Carton Carton size: 392*254*172mm	
Material	Roof Hook: SUS304 Bolt/washer: SUS316 Nut:AL6005-T5	
Standard	GB50797/AS NZS1170.2-2011/EN1991/ASCE7-10/ JIS C 8955	






do My BesT, to be the best!

MIBET ENERGY

Slate tilt hook

Assembly



Component



Slate tilt hook
MBT-3162-011

Technical Specification

Application	Apply to flat tile roof with timber purlin	
Screw Specification	Hex flange head wood screw 6*80mm	
Dimensions	L286*W30*H166.8mm	
Weight	0.545KG	
Packaging	50pcs/carton, Carton size: 392*254*172mm	
Material	Roof Hook: SUS304 Bolt/washer: SUS316 Nut: AL6005-T5	
Standard	GB50797/AS NZS1170.2-2011/EN1991/ASCE7-10/ JIS C 8955	



Assembly




Component



L feet hanger bolt B
Part NO.: MBT-3162-022

Technical Specification

Application	Roof	
Dimensions	L40	
Weight	0.28KG	
Packaging	75pcs/carton, Carton size: 392*254*172mm	
Material	L Feet : AL6005-T5 Hanger Bolt/washer: SUS316	
Standard	GB50797/AS NZS1170.2-2011/EN1991/ASCE7-10/ JIS C 8955	

