



Paving | Walling | Render | Mortar | Blocks



Our Story

OUR KPRO RANGE

3-11

KPRO Crete Range	3
KPRO Façade Range	4
KPRO Ancillary Products	5
KPRO Thin Coat Products	6-7
KPRO Masonry Range	8
KPRO Street Range	9
KPRO Floor Range	10-11

FLAG PAVING RANGE

12-18

Massimo Flag	12
Merrion Flag	13
Newgrange Flag	14
Shelbourne Flag	15
Belvedere Flag	16
Classic Flag	17
Cashel Flag	18

BLOCK PAVING RANGE

19-25

Newgrange Block	19
Mellifont Block	20
Corrib Block	21
Lismore Block	22
Inish Block	23
Hexo Block	24
Slane Block	25

COBBLES & SETTS RANGE

26-27

Newgrange Cobbles & Setts	26
Mellifont & Lismore Setts	27

WALLING & CAPPING

28

Connemara Walling & Capping	28
-----------------------------	----

KERBS & EDGING

29-31

Kerb Setts & Blocks	29
Lismore Kerb	30
Mellifont Kerb	31

DECORATIVE STONE

32-33

CONCRETE BLOCKS

34-35

BAGGED AGGREGATES

36-37

OUR ESG JOURNEY

38-39

The story of Kilsaran begins in the village of Kilsaran in Co. Louth in 1964. Ireland's leading independent manufacturer of construction materials, Kilsaran is a family-owned and run company specialising in producing paving and walling, road surfacing materials, pre-mixed dry mortars, renders, screeds and ready-mixed concrete and blocks.

At Kilsaran, we are proud to support local jobs and local communities across our 30 sites. We believe strongly in our corporate governance and responsibility towards the health and safety of our employees, diversity and inclusion within the workplace, environmental and natural resource protection and management and lifelong learning for staff.



THE **KPRO** RANGE**POST 10** Rapid
Setting Post Concrete

KPRO Post 10 is a rapid setting, micro concrete mix designed for the rapid installation and anchoring of all types of timber, plastic, metal and concrete posts.

**3:1** General Purpose
Sand & Cement

KPRO 3:1 General Purpose Sand & Cement is a prescribed mix of washed well graded sand and grey cement for use as a general purpose sand and cement mix for a wide range of applications.

MPC Multi Purpose
Concrete

KPRO MPC is a 40N strength, fine concrete mix suitable for use in all general concrete work, both internal and external. Ideal for:

- Constructing or repairing footpaths, driveways, patios, etc.
- Foundations and laying of draining channels and services
- All other general concrete work



GP General Purpose Render

KPRO GP Render is a general purpose rendering mortar for use as a multi-coat render for both internal and external use.



UNO One Coat Render

KPRO UNO is a self-coloured, breathable, weather-resistant rendering mortar.



RC Roughcast Render

KPRO RC is a through coloured roughcast rendering mortar, for use as part of a multi-coat rendering system.



KPRO ANCILLARY PRODUCTS

KPRO FAÇADE RA1 RENDER ACCELERATOR

Available in 20L drums, KPRO RA1 is designed to decrease the setting time of KPRO renders leading to earlier finishing processes.



KPRO FAÇADE RENDER UPVC BEADS

A range of PVC beads (corner, stop, reveal, bellcast, movement) for use with KPRO renders.

KPRO FAÇADE GLASS FIBRE REINFORCING MESH

KPRO Façade Mesh is alkali resistant and tearproof suitable for use with KPRO renders.



KPRO FAÇADE QP10

KPRO QP10 Quartz Primer is designed for preparation of difficult substrates for suction control and adhesion purposes.

KPRO FAÇADE QPX

KPRO QPX Bonding Primer is a quartz infused, high-performance and fast-setting bonding primer. It is suitable for application on both absorbent and non-absorbent surfaces, making it ideal for a wide range of substrates.



KPRO THIN COAT PRODUCTS

SR 1.5 Silicone Render 1.5

- Highly self-cleaning
- Highly resistant to dirt
- Hydrophobic
- Very low water absorption and vapour permeability
- High durability, highly resistant to weather conditions
- High elasticity and impact resistance
- High stability of colour
- Resistant to fungi, algae and mould



S-SR 1.5 Silicate Silicone Render 1.5

- Hydrophobic, resistant to dirt
- Vapour permeable
- Low water absorption
- Resistant to damage
- Highly resistant to weather conditions
- Resistant to fungi, algae and mould



Synthetic Render Colour Selector



NOTE: This colour chart should only be used as a guide, as finished render colours may vary from colours illustrated above.

Masonry Mortar

KPRO Masonry Mortar is a natural coloured, M4 grade, masonry mortar designed for jointing and pointing of masonry units.



Coloured Masonry Mortar

KPRO Coloured Masonry Mortar is a through-coloured masonry mortar designed for jointing and pointing of masonry units. Available in a range of colours.

HLM Hydraulic Lime Mortar

KPRO HLM is a hydraulic lime masonry mortar designed for jointing and pointing of masonry units. Available in a range of colours.



HSBC

High Strength Bedding Concrete

KPRO HSBC is a High Strength Bedding Concrete providing a rigid base for bedding natural stone, porcelain and concrete paving units.



PS

Priming Slurry

KPRO PS Priming Slurry is used to enhance the bond strength of the bedding concrete to both the road base and the paving unit.

RSJM

Rapid Set Jointing Mortar

KPRO Rapid Set Jointing Mortar is a self-compacting fluid mortar designed for grouting natural stone, porcelain and concrete paving units.



KPRO FLOOR RANGE



FLS-401 Sand & Cement Floor Screed

KPRO Floor FLS-401 screed is a semi-dry, fibre reinforced levelling screed for use in domestic, commercial and industrial applications. The product complies with the requirements of EN 13813 and should be used in accordance with this standard and manufacturer's instructions.



FLS-410 General Purpose Reinstatement Mortar

KPRO Floor FLS-410 screed is a polymer modified, semi-dry, fibre reinforced levelling screeds for use in domestic, commercial and industrial applications. The product complies with the requirements of EN 13813 and should be used in accordance with this standard and manufacturer's instructions.

KPRO LEVELLEASE RANGE



LEVELLEASE 250 Fibre Reinforced Levelling Compound

A rapid hardening and fibre reinforced cementitious levelling compound for use in domestic and commercial applications, over a multitude of substrate. Laying depth 2mm-50mm. CT-C30-F7.



LEVELLEASE 225 Levelling Compound

A standard-setting and fibre-reinforced cementitious levelling compound for use in domestic and commercial applications. Laying depth 2mm-25mm. CT-C25-F6.



LEVELLEASE DUO 225 Dual Pack Levelling Compound Component A

A standard-setting two component cementitious levelling compound for use in domestic and commercial applications. Laying depth 2mm-25mm. CT-C25-F6.



LevelEase Sealing Primer

A high-performance, deep-penetrating primer designed to strengthen absorbent substrates and improve adhesion for subsequent layers. It ensures reduced absorbency and enhanced workability for a wide range of surface preparation tasks.



LevelEase Gritty Primer

A quartz infused, high-performance and fast-setting bonding primer which delivers a textured, gritty finish that significantly enhances the adhesion of subsequent layers, to smooth non-absorbent substrates.



LevelEase DPM


A one-component, water-based residual moisture vapor suppressant, designed to suppress residual construction moisture in cementitious substrates, where the moisture content is up to 95% RH.

Massimo Flags


A large premium flag with high end textured finishes. Inspired by nature and created in Ireland, Massimo is available in a range of colours. Locally sourced and readily available.

800 x 400mm
LARGE FORMAT
FLAG


AVAILABLE IN:




Silver Granite




Black Granite



Sorrento



Pure



Blue



SCAN ME



PRODUCT RANGE	Dimensions (mm)	Colours	Pcs per m ²	m ² per Bale	Pcs per Bale	Pcs per Layer	Approx Bale Weight (kg)
Massimo Flags	800 x 400 x 40	Silver Granite, Sorrento, Black Granite, Pure, Blue	3.13	8.96	28	1	798

Merrion Flags

Featuring contrasting stone chippings offering a high end finish similar to natural stone, granite or terrazzo.


AVAILABLE IN:



Pearl



Sapphire



Quartz



SCAN ME



All Merrion products come pre-sealed with Kilsaran K-Seal for full protection. 3 Unique finishes available including, Pearl, Sapphire and Quartz.

PRODUCT RANGE	Dimensions (mm)	Colours	Pcs per m ²	m ² per Bale	Pcs per Bale	No. Layers	Approx Bale Weight (kg)
Merrion Flags (Textured Granite)	600 x 400 x 40	Pearl, Sapphire, Quartz	4.17	11.52	48	2	1060

Newgrange Flags

With a subtle textured finish the Newgrange flag gives an elegant and contemporary look.



AVAILABLE IN:



Silver Granite



Black Granite



Buff Granite

SCAN ME




PRODUCT RANGE	Dimensions (mm)	Colours	Pcs per m ²	m ² per Bale	Pcs per Bale	Pcs per Layer	Approx Bale Weight (kg)
Newgrange Flags (Textured Granite)	400 x 400 x 40	Silver Granite, Black Granite, Buff Granite	6.25	8.96	56	2	798
	600 x 300 x 40	Silver Granite, Black Granite	5.56	10.08	56	2	905
	600 x 400 x 40	Silver Granite, Black Granite, Buff Granite	4.17	11.52	48	2	1060
	600 x 600 x 40	Silver Granite, Black Granite, Buff Granite	2.78	12.96	36	2	1260

Shelbourne Flags

The ground surface of Shelbourne gives this range a sophisticated feel and an eye-catching look.

AVAILABLE IN:



Silver Granite



Black Granite



SCAN ME



PRODUCT RANGE	Dimensions (mm)	Colours	Pcs per m ²	m ² per Bale	Pcs per Bale	No. Layers	Approx Bale Weight (kg)
Shelbourne Flags (Ground)	400 x 400 x 40	Silver Granite, Black Granite	6.25	13.44	84	14	1155

Belvedere Flags

With a riven surface and irregular edges, the Belvedere range is full of old world charm.

AVAILABLE IN:




Silver Granite



Black Granite



Slate



Curragh Gold



SCAN ME




PRODUCT RANGE	Dimensions (mm)	Colours	Pcs per m ²	m ² per Bale	Pcs per Bale	Pcs per Layer	No. Layers	Approx Bale Weight (kg)
Belvedere Flags	4-size mix 60 (200x200, 400x200 400x400, 600x400)	Curragh Gold, Slate	n/a	9.60	70	n/a	10	1240
Belvedere Flags (Curled)		Silver Granite, Black Granite	n/a	9.60	70	n/a	10	1240

Classic Flags


Easy to install with a large selection of colours and sizes making this range a perennial favourite.




AVAILABLE IN:



Natural



Charcoal



Rustic

SCAN ME




PRODUCT RANGE	Dimensions (mm)	Colours	Pcs per m ²	m ² per Bale	Pcs per Bale	No. Layers	Approx Bale Weight (kg)
Classic Flags (Smooth)	400 x 400 x 40	Natural, Charcoal, Rustic	6.25	13.44	84	14	1155
	400 x 400 x 50	Natural	6.25	11.52	72	12	1240
	600 x 600 x 50	Natural	2.77	10.80	30	15	1180

Cashel Flags


Perfect for patios. Cashel paving flags have a surface effect that replicates the rustic appeal of natural stone.



AVAILABLE IN:



Natural



Charcoal



Gold

SCAN ME



PRODUCT RANGE	Dimensions (mm)	Colours	Pcs per m ²	m ² per Bale	Pcs per Bale	No. Layers	Approx Bale Weight (kg)
Cashel Flags	400 x 400 x 40	Charcoal, Gold, Natural	6.25	13.44	84	14	1280

Newgrange Blocks

The subtle granite textured surface of the Newgrange range, combined with inspiring colours make it stand out from the crowd.



AVAILABLE IN:



Silver Granite



Black Granite

SCAN ME




PRODUCT RANGE	Dimensions (mm)	Colours	Pcs per Layer	m ² per Bale	Pcs per Bale	No. Layers	Approx Bale Weight (kg)
Newgrange 3-Size Mix (Textured Granite)	3-Size x 50 (120x160, 160x160 240 x 160)	Silver Granite, Black Granite	25	10.08	350	14	1160
	3-Size x 60 (120 x 160, 160x160 240x160)		35	9.60	350	10	1240

Mellifont Blocks

With its edges and surface gently worn, the Mellifont range is ideal when creating an aged or worn look.


AVAILABLE IN:



Natural




Charcoal



Slate



Curragh Gold



Rustic



SCAN ME



PRODUCT RANGE	Dimensions (mm)	Colours	Pcs per Layer	m ² per Bale	Pcs per Bale	No. Layers	Approx Bale Weight (kg)
Mellifont 3-Size Mix	3-Size x 50 (120x160, 160x160 240 x 160)	Natural, Charcoal, Slate, Curragh Gold, Rustic	25	10.08	350	14	1160
	3-Size x 60 (120 x 160, 160x160 240x160)		35	9.60	350	10	1205

** Now a Face-Mix Product*

Corrib Blocks


The smooth surface finish and subtle bevelled edge of the Corrib range makes it an ideal choice for driveway paving.




AVAILABLE IN:



Silver Granite



Black Granite



Rustic



Curragh Gold



Charcoal

SCAN ME




PRODUCT RANGE	Dimensions (mm)	Colours	Pcs per m ²	m ² per Bale	Pcs per Bale	No. Layers	Approx Bale Weight (kg)
Corrib 50mm (Standard)	210 x 170 x 50	Rustic, Charcoal, Curragh Gold	28	11.18	313	13	1180
Corrib 50mm (Textured Granite)	210 x 170 x 50	Silver Granite, Black Granite	28	11.18	313	13	1180
Corrib 60mm (Standard)	210 x 170 x 60	Rustic, Charcoal, Curragh Gold	28	10.32	289	12	1240
Corrib 60mm (Textured Granite)	210 x 170 x 60	Silver Granite, Black Granite	28	10.32	289	12	1240

Lismore Blocks

Lismore is a contemporary range with sharp lines and a smooth surface finish.

AVAILABLE IN:



Natural




Charcoal



Slate



Curragh Gold



Rustic



SCAN ME



PRODUCT RANGE	Dimensions (mm)	Colours	Pcs per Layer	m ² per Bale	Pcs per Bale	No. Layers	Approx Bale Weight (kg)
Lismore 3-Size Mix	3-Size x 50 (120x160, 160x160 240 x 160)	Natural, Charcoal, Slate, Curragh Gold, Rustic	25	10.08	350	14	1160
	3-Size x 60 (120 x 160, 160x160 240x160)		35	9.60	350	10	1205

** Now a Face-Mix Product*

Inish Blocks


Inish is a landscape designer's dream. Wonderfully versatile, it is used not only in patios, paths and driveways in a variety of laying patterns but also as edging and borders.



SCAN ME




AVAILABLE IN:



Charcoal



Rustic



Curragh Gold



Charcoal (Aged)



Rustic (Aged)



Curragh Gold (Aged)

PRODUCT RANGE	Dimensions (mm)	Colours	Pcs per m ²	m ² per Bale	Pcs per Bale	No. Layers	Approx Bale Weight (kg)
Inish (Standard)	200 x 50 x 60	Charcoal, Curragh Gold, Rustic	100	9.24	924	11	1200
Inish (Aged*)	200 x 50 x 60		100	9.24	924	11	1200

* Aged Supplied in Bulk Bags

Hexo Blocks

Hexo offers an eye-catching alternative to traditional squares or rectangle paving. Available in a granite finish creating a distinctive departure from the normal.

AVAILABLE IN:



Silver Granite



Black Granite



SCAN ME



PRODUCT RANGE	Dimensions (mm)	Colours	Pcs per m ²	m ² per Bale	Pcs per Bale	No. Layers	Approx Bale Weight (kg)
Hexo (Textured Granite)	200 x 230 x 60	Silver Granite, Black Granite	29	7.50	230	10	960

* Full Bale Consists of 210 Full Hexo Blocks and 20 Half Hexo Blocks

Slane Blocks


A design classic, Slane will never go out of fashion. Its popularity lies in its ease of installation, large choice of colours and in its shape, which allows different patterns to be created. It is these patterns that provide interlocking strength, making Slane ideal for driveways.



AVAILABLE IN:



Natural



Charcoal



Slate



Curragh Gold



Rustic



Brindle

PRODUCT RANGE	Dimensions (mm)	Colours	Pcs per m ²	m ² per Bale	Pcs per Bale	No. Layers	Approx Bale Weight (kg)
Slane	200 x 100 x 50	Natural, Charcoal, Slate, Curragh Gold, Rustic, Brindle	50	11.52	576	12	1240
	200 x 100 x 60	Natural, Charcoal, Slate, Curragh Gold, Rustic, Brindle	50	9.60	480	10	1240

Newgrange Cobbles & Setts

Lightly textured premium granite finish sett and cobble paving. Suitable for use on patios, pathways and domestic driveways.

AVAILABLE IN:



Silver Granite



Black Granite



Buff Granite



SCAN ME



PRODUCT RANGE	Dimensions (mm)	Colours	Pcs per m ²	m ² per Bale	Pcs per Bale	No. Layers	Approx Bale Weight (kg)
Newgrange 60mm Setts	6-Size 60 (88x68, 88x78 88x88, 88x98 88x108, 88x118)	Silver Granite, Black Granite	108	9.24	1140	11	1190
Cobbles	100 x 100 x 60	Silver Granite, Black Granite, Buff Granite	100	9.60	960	10	1030


Mellifont & Lismore Setts

Premium Sett Paving available in two finishes and two colours.
Suitable for use on patios, pathways and domestic driveways.
Setts come in six-size mixed bales.

AVAILABLE IN:



Mellifont | Charcoal



Mellifont | Rustic



Lismore | Charcoal



Lismore | Rustic



SCAN ME



PRODUCT RANGE	Dimensions (mm)	Colours	Pcs per m ²	m ² per Bale	Pcs per Bale	No. Layers	Approx Bale Weight (kg)
Mellifont 60mm Setts* & Lismore 60mm Setts	6-Size 60 (88x68, 88x78 88x88, 88x98 88x108, 88x118)	Charcoal, Rustic	108	9.24	1140	11	1190

* Supplied in Bulk Bags

* Made to Order

Connemara Walling & Capping

A rustic effect decorative walling system, Connemara is perfect when designing either an old world garden or something a little more modern. This versatile walling system doesn't require mortar and can be easily glued together once the first row of walling is securely laid in concrete or mortar.




SCAN ME



AVAILABLE IN:



Raven/White



Curragh Gold

PRODUCT RANGE	Dimensions (mm)	Colours	Pcs per m ²	m ² per Bale	Pcs per Bale	No. Layers	Approx Bale Weight (kg)
Connemara (Split)	3-Size 75 (350x75, 250x75, 150x75)	Raven/White, Curragh Gold	n/a	4	210	10	1280
	3-Size 150 (350x150, 250x150, 150x150)		n/a	4	105	5	1280
Connemara (Aged)*	3-Size 75 (350x75, 250x75, 150x75)		n/a	4	210	10	1280
	3-Size 150 (350x150, 250x150, 150x150)		n/a	4	105	5	1280
Connemara Wall Cappings	600 x 200 x 63	Raven/White, Curragh Gold	n/a	n/a	80	10	1090
	600 x 280 x 63		n/a	n/a	60	10	1090
Pier	550 x 550 x 75	Raven/White, Curragh Gold	n/a	n/a	20	10	1090

* Supplied in Bulk Bags

Kerb Setts

Kerb sett units can be laid either high rise or low rise profile to give a different appearance. Corners are not available for this product.



Charcoal

SCAN ME



PRODUCT RANGE	Dimensions (mm)	Colours	Pcs per LM	Linear Metres per Bale	Pcs per Bale	Pcs per Layer	Approx Bale Weight (kg)
Kerb Sett	190 x 160 x 100	Charcoal	10	20	200	25	1135



Kerb Blocks

Kerb block unit with bullnose profile. External corners available for high rise installation.



Charcoal

SCAN ME



PRODUCT RANGE	Dimensions (mm)	Colours	Pcs per LM	Linear Metres per Bale	Pcs per Bale	Pcs per Layer	Approx Bale Weight (kg)
Kerb Block	200 x 127 x 100	Charcoal	10	24	240	30	1225

Lismore Kerb

A smooth kerb with clean lines that will add a contemporary feel to any paving or garden.



AVAILABLE IN:



Natural



Rustic



Charcoal



Curragh Gold

SCAN ME



PRODUCT RANGE	Dimensions (mm)	Colours	Pcs per LM	Linear Metres per Bale	Pcs per Bale	Pcs per Layer	Approx Bale Weight (kg)
Lismore Kerb	190 x 160 x 100	Natural, Rustic, Charcoal, Curragh Gold	5.25	n/a	168	24	1100

Mellifont Kerb

A more traditional style kerb with a rumbled finish for that old world period look.



AVAILABLE IN:



Natural



Rustic



Charcoal



Curragh Gold

SCAN ME



PRODUCT RANGE	Dimensions (mm)	Colours	Pcs per LM	Linear Metres per Bale	Pcs per Bale	Pcs per Layer	Approx Bale Weight (kg)
Mellifont Kerb	190 x 160 x 100	Natural, Rustic, Charcoal, Curragh Gold	5.25	n/a	175	25	1140

Decorative Stone

Decorative stone is perfect when creating informal garden paths, separating landscaped areas or simply adding colour.

There's no need to 'square off' patios when you can use decorative stone to create a relaxed and informal feel to the space. The range includes standard or bulk bags.



SCAN ME



Our Decorative Stone comes in Standard or Bulk Bags



Coverage guidelines at a 40mm depth. Use this chart to calculate approximately how many bags you will need. For example a 4m x 3m area requires 36 standard bags approximately.

COVERAGE GUIDELINE TABLE

	1M	2M	3M	4M	5M
1M	3	6	9	12	15
2M	6	12	18	24	30
3M	9	18	27	36	45
4M	12	24	36	48	60
5M	15	30	45	60	75

RANGE INCLUDES:



Donegal Quartz - 20mm



Scottish Cobble - 30-50mm



Beach Pebble - 14mm



White Marble - 6mm/10mm



Clonard Gold - 20mm



Wicklow Granite - 14mm



Pink Granite - 20mm



Belmont - 10mm



Plum Slate - 40mm



Ballykane - 20mm



Golden Flint - 20mm



Castletown - 10mm



Plum Stone - 20mm/10mm



Clare Black - 14mm




Callan Gold - 20mm




Driveway Pebble - 10-20mm

Concrete **Blocks** - 7.5N/mm²


140mm Solid Block




100mm Solid Block




65mm Solid Block




140mm Soapbar Block




100mm Soapbar Block




Stock Brick




L Block




215mm Hollow Block



215mm Half Hollow Block



440mm U Block





K-Block Thermal Lightweight Blocks

Features include high thermal mass, reduced thermal bridging resulting in reduced heat loss, and lower heating bills, when used in accordance with the Acceptable Construction Details. Compliant U values are achieved without having to provide a cavity in excess of 150mm, excellent thermal conductivity (Lambda λ) value of 0.34 W/mK. A significant improvement when compared to standard blocks and available nationwide.

Size(mm)	440x215 (Solid)	440x100 (Solid / Soap Bar)	440x140 (Solid / Soap Bar)	440x215 (L Block)
Thickness (mm)	100	100	100	100 (175)
Density	>1200kg/m ³	>1200kg/m ³	>1200kg/m ³	>1200kg/m ³
Strength (N/mm ²)	7.5	7.5	7.5	7.5
Finish	Standard	Standard	Standard	Standard
Thermal	0.34W/mK (λ 10, Dry Mat)	0.34W/mK (λ 10, Dry Mat)	0.34W/mK (λ 10, Dry Mat)	0.34W/mK (λ 10, Dry Mat)

E-Block Air Tight Products

Features include engineered for superior sound insulation, quality assured manufacture, high thermal mass, produced nationwide, long term durability and sustainable production process. Available in solid and hollow format for ultimate versatility and ideally suited for use in commercial and leisure development.

Size(mm)	440x215 (Solid)	440x100 (Solid / Soap Bar)	440x140 (Solid / Soap Bar)	440x215 (Hollow & U Block)	215x215 (Hollow & U Block)	440x215 L Block	215x100 Stock Brick
Thickness (mm)	65 100	100	100	215	215	100 (175)	65
Density	>2000kg/m ³	>2000kg/m ³	>2000kg/m ³	>2000kg/m ³	>2000kg/m ³	>2000kg/m ³	>2000kg/m ³
Strength (N/mm ²)	7.5, 15	7.5, 15	7.5, 15	7.5, 10	7.5, 10	7.5, 15	7.5, 15
Finish	Paint Grade	Paint Grade	Paint Grade	Paint Grade	Paint Grade	Paint Grade	Paint Grade
Thermal	1.00 - 1.11W/mK (λ 10, Dry Mat)	1.00 - 1.11W/mK (λ 10, Dry Mat)	1.00 - 1.11W/mK (λ 10, Dry Mat)	1.00 - 1.11W/mK (λ 10, Dry Mat)	1.00 - 1.11W/mK (λ 10, Dry Mat)	1.00 - 1.11W/mK (λ 10, Dry Mat)	1.00 - 1.11W/mK (λ 10, Dry Mat)

Bagged Aggregates



Washed Plastering Sand

Description:	For use in any sand and cement render or plastermix.
Bag Material:	Plastic
Bag Size:	Standard, Bulk
Bags per Pallet:	63



Washed Mortar Sand

Description:	For use in masonry mortars or as a clean building sand.
Bag Material:	Plastic
Bag Size:	Standard, Bulk
Bags per Pallet:	63



Washed Paving Sand

Description:	For use as a laying course for paving.
Bag Material:	Plastic
Bag Size:	Standard, Bulk
Bags per Pallet:	63



Clean White Granite Sand

Description:	For use in any sand and cement render or plaster mix.
Bag Material:	Plastic
Bag Size:	Standard, Bulk
Bags per Pallet:	63



White Limestone Sand

Description:	For use in any sand and cement render or plaster mix.
Bag Material:	Plastic
Bag Size:	Standard, Bulk
Bags per Pallet:	63



Pavement Grit

Description:	Instant traction on pavements, driveways and footpaths.
Bag Material:	Plastic
Bag Size:	Standard, Bulk
Bags per Pallet:	63



Washed Batched Gravel

Description:	For use in a wide range of concrete mixes.
Bag Material:	Plastic
Bag Size:	Standard, Bulk
Bags per Pallet:	63



Hardcore

Description:	Fill material
Bag Material:	Plastic
Bag Size:	Standard, Bulk
Bags per Pallet:	63



Quick Fix Macadam

Description:	Ready to use reinstatement asphalt.
Bag Material:	Plastic
Bag Size:	Standard
Bags per Pallet:	63



Childrens Play Sand

Description:	Kilsaran Play Sand is a washed, well graded quartz sand that is non-toxic, non-staining and has sub rounded particles.
Bag Material:	Plastic
Bag Size:	Standard
Bags per Pallet:	63



SCAN ME



Our Environmental Social & Governance Journey

Our aim is to minimise the impact of our operations, wherever possible, and to benefit our stakeholders by recycling, reusing and creating new innovative systems, products and sales routes.

A sustainable future is one in which a healthy environment, economic prosperity and social justice are pursued simultaneously to ensure the well-being and quality of life is maintained for future generations.

**EFFICIENCY IN
SECONDARY PROCESSING
REDUCTION IN DIESEL
CONSUMPTION OF 4,000 LITRES
THROUGH LESS STOCK MOVEMENT**



**NEW IMPROVED PACKAGING
FOR PAVING BALES
35% REDUCTION IN
PLASTIC USAGE**



RECYCLING OLD PRODUCT
INTO AGGREGATES
9,000 TONNE PER YEAR
AS PART OF THE CIRCULAR
ECONOMY IMPROVEMENT PLAN

PAPERLESS PICKING
95% REDUCTION IN
PAPER USAGE



LED LIGHTING INSTALLATION
IN PAVING PLANTS
ENERGY USAGE
REDUCTION OF **20%**



Get in touch:

ROI: 01 801 3484

UK: 0161 872 8899

Placing an Order Email:
orders@kilsaran.ie

Customer Service /
General Enquiries Email:
csteam@kilsaran.ie

Tech Support Email:
techsupport@kilsaran.ie

www.kilsaran.ie

