



Building & DIY Products You Can Trust

Site 41, Knowsthorpe Way,
Cross Green Industrial Estate, Leeds, LS9 0SW
Telephone: +44 (0) 113 240 3456 Sales: +44 (0) 113 240 2424

Fax: +44 (0) 113 240 0024 e-mail: info@everbuild.co.uk website: www.everbuild.co.uk

CONSTRUCTION PRODUCTS REGULATION DECLARATION OF PERFORMANCE

No JETMIX/1-CPR/2013

1. Identification Code	Jetcem Premix Sand and Cement
	Codes: JETMIX2, JETMIX6
2. Type, Batch and/or Serial Number	For batch number see packaging
3. Intended use	Concrete repair product for structural and non structural repair. CC Mortar (based on hydraulic cement)
	EN1504-3 Principle 3.1
4. Manufacturer	Everbuild Building Products ltd, Site 41, Cross Green Industrial Estate, Knowsthorpe Way, Leeds, LS90SW, UK.
5. Authorised Representative	Not Applicable
6. Assessment and Verification of Constancy of Performance	System 2+
7. Notified Body and Tasks	BSI (0086) Initial inspection and ongoing surveillance of F.P.C. system
	Certificate of conformity reference 0086-CPD- 597711
8. European technical Assessment	Not applicable



Building & DIY Products You Can Trust

Site 41, Knowsthorpe Way,
Cross Green Industrial Estate, Leeds, LS9 0SW
Telephone: +44 (0) 113 240 3456 Sales: +44 (0) 113 240 2424

Fax: +44 (0) 113 240 0024 e-mail: info@everbuild.co.uk website: www.everbuild.co.uk

9. Declared Performance	EN1504-3 (2005)) Concrete repair product for structural
	repair. CC mortar (based on hydraulic cement) Class R3
Compressive Strength	Class R3
Chloride ion content	<u><</u> 0.05%
Adhesion strength by pull off test	≥1.5MPa
Restrained shrinkage/expansion	NPD
Carbonation resistance	NPD
Elastic Modulus	<u>></u> 15GPa
Thermal Compatibility: Part 4 Dry	≥ 1.5MPa
Cycling	
Skid resistance	NPD
Coefficient of thermal expansion	NPD
Capillary Adsorption	NPD
Dangerous substances	Complies with 5.4
Reaction to Fire	Class A1

The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. The declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed: I. G. Southerington - Technical Manager

Dated: Leeds, 1/7/201