

**BOSTIK EXPRESS POINTING MORTAR GREY**  
Supersedes Date: 06-Jun-2019Revision date 26-Aug-2019  
Revision Number 2**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product Identifier**

**Product Name** BOSTIK EXPRESS POINTING MORTAR GREY  
**Pure substance/mixture** Mixture

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Recommended use** Building and construction work: Fillers, putties, plasters, modelling clay.  
**Uses advised against** None known

**1.3. Details of the supplier of the safety data sheet**

<b>Company Name</b>	<b>Supplier</b>
Bostik GmbH	Bostik Limited
An der Bundesstrasse 16	Common Rd
33829 Borgholzhausen, Germany	ST16 3EH
Tel: +49 (0) 5425 / 801 0	Stafford UK
Fax: +49 (0) 5425 / 801 140	Tel: +44 (1785) 27 26 25
	Fax: +44 (1785) 25 72 36

**E-mail address** SDS.box-EU@bostik.com

**1.4. Emergency telephone number**

**United Kingdom** +44 (1785) 272650  
**Ireland** +353 (1) 8624900 (Monday- Friday 9am-5pm)

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture**

Regulation (EC) No 1272/2008

Not classified

**2.2. Label Elements**

Not classified

**Signal word**  
None

**Hazard statements**  
Not classified

**EU Specific Hazard Statements**

EUH208 - Contains 2-methyl-2H-isothiazol-3-one [MIT] &amp; reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]. May produce an allergic reaction

EUH210 - Safety data sheet available on request

**2.3. Other Hazards**

No information available

# SAFETY DATA SHEET

**BOSTIK EXPRESS POINTING MORTAR GREY**  
**Supersedes Date:** 06-Jun-2019

**Revision date** 26-Aug-2019  
**Revision Number** 2

## PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not applicable

### Mixtures

Chemical name	EC No.	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH Registration Number
Quartz	238-878-4	14808-60-7	40 - <80	^		Exempt
Ethylene glycol	203-473-3	107-21-1	0.1 - <1	STOT RE 2 (H373) Acute Tox. 4 (H302)		01-2119456816-28-XXXX
2-methyl-2H-isothiazol-3-one [MIT]	220-239-6	2682-20-4	<0.0015	Skin Corr. 1B (H314) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Acute Tox. 3 (H301) Acute Tox. 2 (H330) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411) (M Factor Acute =1)	Skin Sens. 1 :: C>=0.0015%	No data available
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]	611-341-5	55965-84-9	<0.0015	Acute Tox. 3 (H301) Acute Tox. 2 (H310) Acute Tox. 2 (H330) Skin Corr. 1B (H314) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) M Factor Acute = 100 M Factor Chronic = 100	Eye Irrit. 2 :: 0.06%<=C<0.6% Skin Corr. 1B :: C>=0.6% Skin Irrit. 2 :: 0.06%<=C<0.6% Skin Sens. 1 :: C>=0.0015%	01-2120764691-48-XXXX

**Full text of H- and EUH-phrases: see section 16**

# SAFETY DATA SHEET

**BOSTIK EXPRESS POINTING MORTAR GREY**  
**Supersedes Date:** 06-Jun-2019

**Revision date** 26-Aug-2019  
**Revision Number** 2

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL

This product does not contain candidate substances of very high concern at a concentration  $\geq 0.1\%$  (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

<b>General advice</b>	If medical advice is needed, have product container or label at hand.
<b>Inhalation</b>	Remove to fresh air. If symptoms persist, call a doctor.
<b>Eye contact</b>	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Consult an ophthalmologist.
<b>Skin contact</b>	Wash skin with soap and water. In the case of skin irritation or allergic reactions see a doctor.
<b>Ingestion</b>	Do NOT induce vomiting. If swallowed, rinse mouth with water (only if the person is conscious). Call a doctor.

### 4.2. Most important symptoms and effects, both acute and delayed

<b>Symptoms</b>	None known.
-----------------	-------------

### 4.3. Indication of any immediate medical attention and special treatment needed

<b>Note to doctors</b>	Treat symptomatically.
------------------------	------------------------

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

<b>Suitable extinguishing media</b>	Water spray, carbon dioxide (CO <sub>2</sub> ), dry chemical, alcohol-resistant foam.
<b>Unsuitable extinguishing media</b>	Full water jet.

### 5.2. Special hazards arising from the substance or mixture

<b>Specific hazards arising from the chemical</b>	Thermal decomposition can lead to release of irritating gases and vapours.
<b>Hazardous combustion products</b>	Carbon monoxide. Carbon dioxide (CO <sub>2</sub> ).

### 5.3. Advice for firefighters

<b>Special protective equipment for fire-fighters</b>	Wear self contained breathing apparatus for fire fighting if necessary.
---	---

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

<b>Personal precautions</b>	Avoid contact with skin, eyes or clothing.
<b>Other information</b>	Prevent further leakage or spillage if safe to do so.

# SAFETY DATA SHEET

**BOSTIK EXPRESS POINTING MORTAR GREY**  
**Supersedes Date:** 06-Jun-2019

**Revision date** 26-Aug-2019  
**Revision Number** 2

**For emergency responders** Use personal protection recommended in Section 8.

## **6.2. Environmental precautions**

**Environmental precautions** Prevent product from entering drains. Do not allow to enter into soil/subsoil.

## **6.3. Methods and material for containment and cleaning up**

**Methods for containment** Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.

**Methods for cleaning up** Take up mechanically, placing in appropriate containers for disposal.

## **6.4. Reference to other sections**

**Reference to other sections** See section 8 for more information. See section 13 for more information.

## **SECTION 7: Handling and storage**

### **7.1. Precautions for safe handling**

**Advice on safe handling** Avoid contact with skin, eyes or clothing. Use personal protection equipment.

**General hygiene considerations** Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

### **7.2. Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Keep from freezing.

### **7.3. Specific end use(s)**

#### **Specific Use(s)**

Building and construction work. Fillers, putties, plasters, modelling clay.

**Risk Management Methods (RMM)** The information required is contained in this Safety Data Sheet.

**Other information** Observe technical data sheet.

## **SECTION 8: Exposure controls/Personal protection**

### **8.1. Control parameters**

#### **Exposure Limits**

Chemical name	European Union	Ireland	United Kingdom
Quartz 14808-60-7	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>
Limestone 1317-65-3	-	TWA: 10 mg/m <sup>3</sup> TWA: 4 mg/m <sup>3</sup> STEL: 30 mg/m <sup>3</sup> STEL: 12 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> TWA: 4 mg/m <sup>3</sup> STEL: 30 mg/m <sup>3</sup> STEL: 12 mg/m <sup>3</sup>
Ashes (residues), cenospheres 93924-19-7	-	TWA: 10 mg/m <sup>3</sup> TWA: 4 mg/m <sup>3</sup> STEL: 30 mg/m <sup>3</sup> STEL: 12 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> TWA: 4 mg/m <sup>3</sup>

**Derived No Effect Level (DNEL)** No information available

# SAFETY DATA SHEET

**BOSTIK EXPRESS POINTING MORTAR GREY**  
**Supersedes Date:** 06-Jun-2019

**Revision date** 26-Aug-2019  
**Revision Number** 2

<b>Derived No Effect Level (DNEL)</b>	
<b>Quartz (14808-60-7)</b>	

<b>Ethylene glycol (107-21-1)</b>	
Type	worker Long term Systemic health effects
Exposure route	Dermal
Derived No Effect Level (DNEL)	106 mg/kg bw/d

Type	worker Long term Systemic health effects
Exposure route	Inhalation
Derived No Effect Level (DNEL)	35 mg/m <sup>3</sup>

<b>Derived No Effect Level (DNEL)</b>	
<b>Ethylene glycol (107-21-1)</b>	
Type	Consumer Long term Systemic health effects
Exposure route	Dermal
Derived No Effect Level (DNEL)	53 mg/kg bw/d

Type	Consumer Long term Local health effects
Exposure route	Inhalation
Derived No Effect Level (DNEL)	7 mg/m <sup>3</sup>

**Predicted No Effect Concentration (PNEC)** No information available.

<b>Predicted No Effect Concentration (PNEC)</b>	
<b>Ethylene glycol (107-21-1)</b>	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	10 mg/l
Marine water	1 mg/l
Freshwater sediment	37 mg/kg dry weight
Marine sediment	3.7 mg/kg dry weight
Soil	1.53 mg/kg dry weight
Microorganisms in sewage treatment	199.5 mg/l

## 8.2. Exposure controls

**Engineering controls** No special technical protective measures are necessary.

### Personal Protective Equipment

<b>Eye/face protection</b>	If splashes are likely to occur, wear safety glasses with side-shields. Eye protection must conform to standard EN 166
<b>Hand protection</b>	Wear suitable gloves. Gloves must conform to standard EN 374. Recommended Use: Neoprene™. Nitrile rubber. Butyl rubber. Polyvinyl chloride (PVC). Glove thickness > 0.7mm. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The breakthrough time for the mentioned glove material is in general greater than 480 min. Gloves should be replaced regularly and if there is any sign of damage to the glove material.
<b>Skin and body protection</b>	Wear suitable protective clothing.
<b>Respiratory protection</b>	Not applicable.

**Environmental exposure controls** Do not allow uncontrolled discharge of product into the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

# SAFETY DATA SHEET

BOSTIK EXPRESS POINTING MORTAR GREY  
Supersedes Date: 06-Jun-2019

Revision date 26-Aug-2019  
Revision Number 2

Physical state	Liquid
Appearance	Paste
Colour	Grey
Odour	Characteristic
Odour threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	No data available	
Melting point / freezing point	Not applicable	
Boiling point / boiling range	100 °C	
Flash point	.	Not applicable
Evaporation rate	No data available	
Flammability (solid, gas)	Not applicable for liquids	
Flammability Limit in Air		
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapour pressure	120	hPa @ 50 °C
Vapour density	No data available	
Relative density	1.6 - 1.7	
Water solubility	Immiscible in water	
Solubility(ies)	No data available	
Partition coefficient	No data available	
Autoignition temperature	No data available	
Decomposition temperature	No data available	
Kinematic viscosity	No data available	
Dynamic viscosity	No data available	
Explosive properties	No data available	
Oxidising properties	No data available	

## 9.2. Other information

Solid content (%)	No information available
Softening Point	No information available
Molecular weight	No information available
VOC Content (%)	approx. 8.4 g/L / 0.38 %
Density	1.6 - 1.7 g/cm <sup>3</sup>
Bulk density	No information available

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Reactivity	Not applicable.
------------	-----------------

### 10.2. Chemical stability

Stability	Stable under normal conditions.
-----------	---------------------------------

### Explosion Data

Sensitivity to mechanical impact	None.
Sensitivity to static discharge	None.

### 10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	None under normal processing.
------------------------------------	-------------------------------

### 10.4. Conditions to avoid

# SAFETY DATA SHEET

BOSTIK EXPRESS POINTING MORTAR GREY  
Supersedes Date: 06-Jun-2019

Revision date 26-Aug-2019  
Revision Number 2

Conditions to avoid Keep from freezing.

## 10.5. Incompatible materials

Incompatible materials None known based on information supplied.

## 10.6. Hazardous decomposition products

Hazardous decomposition products None under normal use conditions. Stable under recommended storage conditions.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### Information on likely routes of exposure

##### Product Information

**Inhalation** Based on available data, the classification criteria are not met.  
**Eye contact** Based on available data, the classification criteria are not met.  
**Skin contact** Based on available data, the classification criteria are not met.  
**Ingestion** Based on available data, the classification criteria are not met.

#### Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

#### Numerical measures of toxicity

##### Acute Toxicity

##### Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Quartz 14808-60-7	>2000 mg/kg (Rattus)		
Ethylene glycol 107-21-1	ATE 500 mg/kg	= 10600 mg/kg (Rattus) = 9530 µL/kg (Oryctolagus cuniculus)	
2-methyl-2H-isothiazol-3-one [MIT] 2682-20-4	LD50 =285 mg/Kg (Rattus)	LD50 >2000 mg/Kg (Rattus)	=0.11 mg/L (Rattus) 4 h
reaction mass of 5-chloro-2-methyl-2H-isothiazol- 3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] 55965-84-9	=53 mg/kg (Rattus)	LD50 = 87.12 mg/kg (Oryctolagus cuniculus)	

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data, the classification criteria are not met.

# SAFETY DATA SHEET

**BOSTIK EXPRESS POINTING MORTAR GREY**  
**Supersedes Date:** 06-Jun-2019

**Revision date** 26-Aug-2019  
**Revision Number** 2

<b>Serious eye damage/eye irritation</b>	Based on available data, the classification criteria are not met.
<b>Respiratory or skin sensitisation</b>	May produce an allergic reaction. Based on available data, the classification criteria are not met.
<b>Germ cell mutagenicity</b>	Based on available data, the classification criteria are not met.
<b>Carcinogenicity</b>	Based on available data, the classification criteria are not met.
<b>Reproductive toxicity</b>	Based on available data, the classification criteria are not met.
<b>STOT - single exposure</b>	Based on available data, the classification criteria are not met.
<b>STOT - repeated exposure</b>	Based on available data, the classification criteria are not met.
<b>Aspiration hazard</b>	Based on available data, the classification criteria are not met.

## SECTION 12: Ecological information

### 12.1. Toxicity

#### Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to Micro-organisms	Crustacea	M-Factor
Ethylene glycol 107-21-1	EC50: 6500 - 13000mg/L (96h, Pseudokirchneriella subcapitata)	LC50 96 h = 16000 mg/L (Poecilia reticulata static)	EC50 = 10000 mg/L 16 h EC50 = 620 mg/L 30 min EC50 = 620.0 mg/L 30 min	EC50: =46300mg/L (48h, Daphnia magna)	-
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] 55965-84-9	EC50 (72h) =0.048 mg/L (Pseudokirchneriella subcapitata) (OECD 201)	EC50 (96h) = 0.22 mg/L (Oncorhynchus mykiss) (OECD 211)	-	EC50 (48h) =0.1 mg/L (Daphnia magna) (OECD 202)	-

### 12.2. Persistence and degradability

**Persistence and degradability** No information available.

### 12.3. Bioaccumulative potential

**Bioaccumulation** There is no data for this product.

#### Component Information

Chemical name	Partition coefficient	Bioconcentration factor (BCF)
Quartz 14808-60-7	-	0
Ethylene glycol 107-21-1	-1.36	-



# SAFETY DATA SHEET

**BOSTIK EXPRESS POINTING MORTAR GREY**  
**Supersedes Date:** 06-Jun-2019

**Revision date** 26-Aug-2019  
**Revision Number** 2

2-methyl-2H-isothiazol-3-one [MIT] 2682-20-4	-0.32	3.16
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] 55965-84-9	-	3.6

## 12.4. Mobility in soil

**Mobility in soil** No information available.

## 12.5. Results of PBT and vPvB assessment

**PBT and vPvB assessment** . The components in this formulation do not meet the criteria for classification as PBT or vPvB.

Chemical name	PBT and vPvB assessment
Ethylene glycol 107-21-1	The substance is not PBT / vPvB PBT assessment does not apply
2-methyl-2H-isothiazol-3-one [MIT] 2682-20-4	The substance is not PBT / vPvB
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] 55965-84-9	The substance is not PBT / vPvB

## 12.6. Other adverse effects

**Other adverse effects** No information available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**Waste from residues/unused products** Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.

**Contaminated packaging** Handle contaminated packages in the same way as the product itself.

**European Waste Catalogue** 08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

**Other information** Waste codes should be assigned by the user based on the application for which the product was used.

## SECTION 14: Transport information

**Note:** Keep from freezing.

### Land transport (ADR/RID)

**14.1 UN Number** Not regulated  
**14.2 Proper Shipping Name** Not regulated  
**14.3 Transport hazard class(es)** Not regulated  
**14.4 Packing Group** Not regulated  
**14.5 Environmental hazards** Not applicable  
**14.6 Special Provisions** None

### IMDG

**14.1 UN number** Not regulated

# SAFETY DATA SHEET

**BOSTIK EXPRESS POINTING MORTAR GREY**  
**Supersedes Date:** 06-Jun-2019

**Revision date** 26-Aug-2019  
**Revision Number** 2

14.2 Proper Shipping Name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Marine Pollutant	Np
14.6 Special Provisions	None
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	No information available

## Air transport (ICAO-TI / IATA-DGR)

14.1 UN number	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special Provisions	None

## Section 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### European Union

#### Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

##### **SVHC: Substances of Very High Concern for Authorisation:**

This product does not contain candidate substances of very high concern at a concentration  $\geq 0.1\%$  (Regulation (EC) No. 1907/2006 (REACH), Article 59)

##### **EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction**

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

##### **Substance subject to authorisation per REACH Annex XIV**

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

##### **Biocidal Products Regulation (EU) No 528/2012 (BPR)**

Contains a biocide : Contains C(M)IT/MIT (3:1). May produce an allergic reaction

##### **Ozone-depleting substances (ODS) regulation (EC) 1005/2009**

Not applicable

##### **Persistent Organic Pollutants**

Not applicable

### 15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at  $>10$  tpa. No Chemical Safety Assessment has been carried out for this mixture

## SECTION 16: Other information

### Key or legend to abbreviations and acronyms used in the safety data sheet

# SAFETY DATA SHEET

**BOSTIK EXPRESS POINTING MORTAR GREY**  
**Supersedes Date:** 06-Jun-2019

**Revision date** 26-Aug-2019  
**Revision Number** 2

## **Full text of H-Statements referred to under section 3**

H301 - Toxic if swallowed  
H302 - Harmful if swallowed  
H310 - Fatal in contact with skin  
H314 - Causes severe skin burns and eye damage  
H317 - May cause an allergic skin reaction  
H318 - Causes serious eye damage  
H330 - Fatal if inhaled  
H373 - May cause damage to organs through prolonged or repeated exposure  
H400 - Very toxic to aquatic life  
H410 - Very toxic to aquatic life with long lasting effects  
H411 - Toxic to aquatic life with long lasting effects

## **Legend**

SVHC: Substances of Very High Concern for Authorisation:

## **Legend SECTION 8: Exposure controls/personal protection**

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals			
STOT RE Specific target organ toxicity - Repeated exposure			
STOT SE Specific target organ toxicity - Single exposure			
EWC: European Waste Catalogue			

## **Key literature references and sources for data**

No information available

**Prepared By** Product Safety & Regulatory Affairs

**Revision date** 26-Aug-2019

## **Indication of changes**

**Revision note** SDS sections updated: 4, 5, 6, 7, 8, 13.

**Training Advice** No information available

**Further information** No information available

**This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006**

## **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**