EN ISO 20345:2011

Availability in stock

Standard

AVAILABLE



Model Line

STFI VIO ATI ANTIDA

Article Protection

80087-011 S3 HRO SRC

Preview Sole





Type Ankle boot

> Full Grain leather Hydrotech HT -WR Technical Fabric HT -WR Technical Fabric

Lining 3D Air circulation 320 gr.

Antislip Lining **DUALMICRO**

Removable Insole **Rlowfit**

PU-Rubber VIBRAM®-HRO-SRC Sole

C.T.C. - Composite Toe Cap Toe Cap

ZERO (k) ANTIPERFORATION Anti-Perforation

38-48 Size

Weight gr.

695


Features

Upper























Working Enviroment

Building, Wood-metal

SRC

SRA

DETERGENT

SRB

GLYCEROL

Antistatic

WEL

Wire Electricity Discharge

Strip with 4 filaments

of carbon fiber, ensuring proven anti-static properties of the footwear over time.

carpentry, Engineering,

> 0.32

≥ 0.28

≥ 0.18

> 0.13

Agricoltura e Giardinaggio.

SRC (SRA+SRB)

Sole 80 PU - RUBBER

0.43

0.35

0.19

0.13

PU-Rubber VIBRAM®-HRO-SRC

Sole with anti-wear scaff cap. Outsole in Vibram® rubber, resistant to 300° C by contact (HRO), to acids and oils. Design with self-cleaning outsole, with SRC Antislip standard.

Removable Insole

BLOWFIT



The upper part in FLYFIT, directly in contact with the foot, means transpiration and comfort. Under the heel, a support in EVA keeps the shape and resistance over time, efficiently supporting the bodyweight.

Protection Elements





Toecap made of plastic, incredibly light and resistant to impact of over 200J, elastic. Athermic. Not detected by metal detector. Fabric anti-perforation foil. Resistant to over 1100 N with zero perforation.



Support made of rigid plastic material. It stabilizes the heel bone, the instep and tarsal joints, without altering energy absorption. A support for the natural movement of the foot; it provides comfort and greater stability.

Plus



dynamic (ontrol

Ergonomic rigid structure. It accommodates the heel, adjusting the foot support and control of the ankle in sideways movements. The plastic material increases protection of the ankle against sharp or pointy objects.

Symbols





Via A. Einstein, 6 - 35020 Casalserugo (PD) - ITALY - Tel. +39 049 8740771 - Fax. +39 049 8741376 - mail info@maspica.it - www.sixton.it

Technical Data Sheet 7 July 2016